

Integration of elemental and isotope data supports a Neoproterozoic Adamastor Ocean realm

F.A. Caxito, M. Heilbron, C.M. Valeriano, H. Bruno, A. Pedrosa-Soares, F.F. Alkmim, F. Chemale, L.A. Hartmann, E. Dantas, M.A.S. Basei

Supplementary Information

The Supplementary Information includes:

- References for Data Sources of Figure 1

References for Data Sources of Figure 1

Data sources of the elemental geochemistry compilation of Figure 1

Alves, A. (2009) *Petrogênese de Plútons Graníticos no Leste Paulista: Geocronologia, Geoquímica Elemental e Isotópica*. Phd Thesis, Universidade de São Paulo, São Paulo, Brazil, 194 p.

Alves, A., Janasi, V.A., Campos-Neto, M.C., Heaman, L., Simonetti, A. (2013) U-Pb Geochronology of the granite magmatism in the Embú Terrane: implications for the evolution of the Central Ribeira belt, SE Brazil. *Precambrian Research* 230, 1-12.

Araujo, G.C.E., Rubatto, D., Hermann, J., Cordani, U., Caby, R., Basei, M.A.S. (2014) Ediacaran 2,500-km-long synchronous deep continental subduction in the West Gondwana Orogen. *Nature Communications* 5198, 1-7.



- Babinski, M., Chemale Jr., F., Hartman, L.A., Van Schmus W.R., Silva, L.C. (1996) Juvenile Accretion at 750-700 Ma in Southern Brazil. *Geology* 24, 439-442.
- Babinski, M., Chemale Jr., F., Hartmann, L.A., Van Schmus, W.R., Silva, L.C. (1997) U-Pb and Sm-Nd geochronology of the Neoproterozoic Granitic-Gneissic Don Feliciano Belt, Southern Brazil. *Journal of South American Earth Sciences* 10, 263-274.
- Barbosa, A.L.M., Grossi-Sad, J.H. (1985) Batólito granítico da Serra dos Órgãos, Estado do Rio de Janeiro, Brasil. *Contribuições à Geologia e à Petrologia, Belo Horizonte, SBG, Boletim Especial do Núcleo Minas Gerais*, 49-61.
- Basei, M.A.S., Nutman, A., Júnior, O.S., Passarelli, C.R., Drukas, C.O. (2009) The Evolution and Tectonic Setting of the Luis Alves Microplate of Southeastern Brazil: An Exotic Terrane during the Assembly of Western Gondwana, *Developments in Precambrian Geology* 16, 273-291.
- Brito Neves, B.B., Fuck, R.A., Pimentel, M.M. (2014) The Brasiliano collage in South America: a review. *Brazilian Journal of Geology* 44, 493-518.
- Bruno, H., Almeida, J., Heilbron, M., Salomão, M., Cury, L. (2018) Architecture of major Precambrian tectonic boundaries in the northern part of the Dom Feliciano Orogen, southern Brazil: Implications for the West Gondwana amalgamation. *Journal of South American Earth Sciences* 86, 301-317.
- Campanha, A.C., Faleiros, F.M., Cawood, P.A., Cabrita, D.I.G., Ribeiro, B.V., Basei, M.A.S. (2019) The Tonian Embu Complex in the Ribeira Belt (Brazil): revision, depositional age and setting in Rodinia and West Gondwana. *Precambrian Research* 320, 31-45.
- Capistrano, G.C., Schmitt, R.S., Medeiros, S.R., Fernandes, G.L.S. (2017) Evidence of a Neoproterozoic active continental margin-Geochemistry and isotope geology of high-grade paragneiss from the Ribeira Orogen, SE Brazil. *Journal of South American Earth Sciences* 77, 170-184.
- Chemale, F. (2000) Evolução geológica do Escudo Sul-rio-grandense. In: Holz, M., De Ros, L.F. (Eds.) *Geologia do Rio Grande do Sul*, Porto Alegre, CIGO-UFRGS, 13-52.



- Campos Neto, M.C., Figueiredo, M.C.H (1995) The Rio Doce Orogeny, South-Eastern Brazil. *Journal of South American Earth Sciences* 8, 143-162.
- Cordani, U.G, Delhal, J., Ledent, D (1973) Orogeneses superposées dans Le précambrien Du Brésil Sud-Oriental (Etats de Rio de Janeiro et Minas Gerais). *Revista Brasileira de Geociências* 3, 1-22.
- Cordani, U.G, Coutinho, J.M.V., Nutman, A.P (2002) Geochronological constraints on the evolution of the Embú Complex, São Paulo, Brazil. *Journal of South American Earth Sciences* 14, 903-910.
- Corrales, F.F.P. (2015) *Geologia e Geocronologia do Complexo Marceleza: Vestígios de um arco magmático cordilherano no Terreno Paraíba do Sul, no limite entre os Estados do Rio de Janeiro e Minas Gerais*. Masters Dissertation, Faculdade de Geologia, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, 150 p.
- Corrales, F.F.P. (2019) *Evolução geotectônica dos stocks Neoproterozóicos Marceleza e Leopoldina, remanescentes de arcos magmáticos continentais nos Orógenos Ribeira e Araçuaí: implicações geotectônicas na Província Mantiqueira*. Phd Thesis, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, 219 p.
- Corrales, F.F.P, Dussin, I., Heilbron, M., Bruno, H., Bersam, S., Valeriano, C.M., Pedrosa-Soares, A.C., Tedeschi, M. (2020) Coeval high Ba-Sr arc-related and OIB Neoproterozoic rocks linking pre-collisional magmatism of the Ribeira and Araçuaí orogenic belts, SE-Brazil. *Precambrian Research* 337, 105476.
- De Toni, G.B., Bitencourt, M.F., Nardi, L.V.S., Florisbal, L.M., Almeida, B.S., Geraldes, M. (2020) Dom Feliciano Belt orogenic cycle tracked by its pre-collisional magmatism: The Tonian (ca. 800 Ma) Porto Belo Complex and its correlations in southern Brazil and Uruguay. *Precambrian Research* 342, 105702.
- Ebert, H.D., Chemale, F., Babinski, M., Artur, A.C., Van Schmus, W.R. (1996) Tectonic setting and U/Pb zircon dating of the plutonic Socorro Complex in the transpressive Rio Paraíba do Sul Shear Belt, SE Brazil. *Tectonics* 15, 688-699.



- Fernandes, G.A. (2001) *Geologia do terreno oriental da Faixa Ribeira na Baía da Ilha Grande, litoral sul fluminense, RJ*. Masters Dissertation, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, 140 p.
- Figueiredo M.C.H., Campos Neto, M.C (1993) Geochemistry of the Rio Doce Magmatic Arc, Southeastern Brazil. *Anais da Academia Brasileira de Ciências* 65, 63-81.
- Figueiredo, C.M. (2009) *O arco magmático brasileiro na conexão entre os orógenos Araçuaí e Ribeira*. Masters Dissertation, Instituto de Geociências, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, 104 p.
- Florisbal, L.M., Bitencourt, M. F., Nardi, L.V.S., Conceição, R.V (2009) Early post-collisional granitic and coeval mafic magmatism of medium-to high-K tholeiitic affinity within the Neoproterozoic Southern Brazilian Shear Belt. *Precambrian Research* 189, 135-148.
- Florisbal, L.M., Janasi, V., de, A., Bitencourt, M.F., Heaman, L.M (2012). Space-time relation of post collisional granitic magmatism in Santa Catarina, southern Brazil: U-Pb LA-MC-ICP-MS zircon geochronology of coeval mafic-felsic magmatism related to the Major Gercino Shear Zone. *Precambrian Research* 216, 132-151.
- Gengo, R.M. (2014) Petrologia de Ortognaisses e Granitóides do Domínio Socorro, Nappe Socorro-Guaxupé, Seção Extrema-Camaducaia. *Masters Dissertation*, Universidade de São Paulo, São Paulo, Brazil, 121p.
- Gimenez Filho, A. (1993) Evolução do Complexo Granítico Três Córregos a noroeste de Apiaí. *Masters Dissertation*, Universidade de São Paulo, São Paulo, Brazil, 153 p.
- Gonçalves, L., Farina, F., Lana, C., Pedrosa-Soares, A., Alkmim, F.F., Nalini, H.A (2014). New U-Pb Ages and Lithochemical Attributes of the Ediacaran Rio Doce Magmatic Arc, Araçuaí Confined Orogen, Southeastern Brazil. *Journal of South American Earth Sciences* 52, 1-20.



- Gonçalves, L., Alkmim, F.F., Pedrosa-Soares, A.C., Dussin, I.A., Valeriano, C.M., Lana, C., Tedeschi, M. (2016) Granites of the intracontinental termination of a magmatic arc: an example from the Ediacaran Araçuaí orogen, southeastern Brazil. *Gondwana Research* 36, 439-458.
- Gonçalves, L., Alkmim, F.F., Pedrosa-Soares, A., Gonçalves, C.C., Vieira, V. (2018). From the plutonic root to the volcanic roof of a continental magmatic arc: a review of the Neoproterozoic Araçuaí orogen, southeastern Brazil. *International Journal of Earth Sciences* 107, 337-358.
- Gradim, C., Roncato, J., Pedrosa-Soares, A.C., Cordani, U., Dussin, I., Alkmim, F., Queiroga, G., Jacobson, T., Silva, L.C., Babinski, M. (2014). The hot back-arc zone of the Araçuaí orogen, Eastern Brazil: from sedimentation to granite generation. *Brazilian Journal of Geology* 44, 155-180.
- Hackspacher, P.C., Fetter, A.H., Ebert, H.D., Janasi, V.A., Dantas, E.L., Oliveira, M.A.F., Braga, I.F., Negri, F.A. (2003) Magmatismo há ca. 660-640 Ma no Domínio Socorro: registros de convergência pré-colisional na aglutinação do Gondwana Ocidental. *Geologia USP Série Científica* 3, 85-96.
- Hartmann, L.A., Philipp, R., Santos, J.O.S., McNaughton, N.J. (2011) Time frame of 753–680 Ma juvenile accretion during the São Gabriel orogeny, southern Brazilian Shield. *Gondwana Research* 19 (1), 84–99.
- Harara, O.M.M. (2001) *Mapeamento, Investigação Petrológica e Geocronológica dos Litotipos da Região de Alto Rio Negro (PR-SC): Um exemplo de sucessivas e distintas atividades magmáticas durante o Neoproterozóico*. Phd Thesis, Universidade de São Paulo, São Paulo, Brazil, 244 p.
- Heilbron, M., Machado, N (2003) Timing of terrane accretion in the Neoproterozoic–Eopaleozoic Ribeira Belt (SE Brazil). *Precambrian Research* 125, 87-112.
- Heilbron, M., Almeida, J.C.H., Silva, L.G.E., Palermo, N., Tupinambá, M., Duarte, B.P., Valladares, C., Ramos, R.C., Ribeiro, A., Sanson M. (2007) *Geologia e Recursos Minerais das folhas Santa Rita do Jacutinga, Barra do Piraí, Volta Redonda e Angra dos Reis, escala 1:100.000*. 1. ed. Brasília, Companhia de Pesquisa de Recursos Minerais - MME, 177 p.



- Heilbron, M., Almeida, J.C.H., Silva, L.G.E., Tupinambá, M., Valente, S., Duarte, B. P., Corval, A., Guedes, E., Valeriano, C., Schmitt, R., Valladares, C., Ragatky, D., Geraldés, M., Peixoto, C.A. (2012) Arcabouço Regional. In: Heilbron, M. (Org.). *Geologia e Recursos Minerais da Folha Santo Antônio de Pádua-SF.26-X-D-VI, escala de 1:100.000*. CPRM, Belo Horizonte, Brazil, 22-36.
- Heilbron, M., do Eirado, L.G., Almeida, J. (2016). *Geologia e Recursos Minerais do Estado do Rio de Janeiro: texto explicativo do mapa geológico e de recursos minerais*. CPRM, Belo Horizonte, Brazil.
- Hueck, M., Basei, M.A.S., Castro, N.A. (2016) Origin and evolution of the granitic intrusions in the Brusque Group of the Dom Feliciano Belt, south Brazil: petro- structural analysis and whole-rock/isotope geochemistry. *Journal of South American Earth Sciences* 69, 131-151.
- Janasi, V.A., Ulbrich, H.H.G.J. (1991) Late Proterozoic granitoid magmatism in the state of São Paulo, southeastern Brazil. *Precambrian Research* 51, 351-374.
- Janasi, V.A., Leite, R.J., Van Schmus, W.R (2001) U–Pb chronostratigraphy of the granitic magmatism in the Agudos Grandes Batholith (west of São Paulo, Brazil) - implications for the evolution of the Ribeira Belt. *Journal of South American Earth Sciences* 14, 363-376.
- Janasi, V.A. (2002) Elemental and Sr-Nd isotope geochemistry of two Neoproterozoic mangerite suites in SE Brazil: implications for the origin of the mangerite-charnockite-granite series. *Precambrian Research* 119, 301-327.
- Janasi, V.A., Vlach, S.R.F., Campos-Neto, M.C., Ulbrich, H.H.G.J. (2009) Associated A-type subalkaline and high-K calc-alkaline granites in the Itu Granite Province, Southeastern Brazil: petrological and tectonic significance. *The Canadian Mineralogist* 47, 1505-1526.
- Janasi, V.A., Andrade, S., Vasconcellos, A.C.B.C., Henrique-Pinto, R., Ulbrich, H.H.G.J. (2016) Timing and sources of granite magmatism in the Ribeira belt, SE Brazil: insights from zircon in situ U-Pb dating and Hf isotope geochemistry in granites from the São Roque Domain. *Journal of South American Earth Sciences* 68, 224-247.



- Lara, P., Oyhançabal, P., Belousova, H. (2020) Two distinct crustal sources for Late Neoproterozoic granitic magmatism across the Sierra Ballena Shear Zone, Dom Feliciano Belt, Uruguay: Whole rock geochemistry, zircon geochronology and Sr-Nd-Hf isotope evidence. *Precambrian Research* 341, 105625.
- Laux, J.H., Bongioiolo, E.M., Klein, C., Iglesias, C.M.F. (2017) *Geologia e Recursos Minerais Programa Pronageo, da Folha Lagoa da Meia Lua*. CPRM, Brazil.
- Lena, L.O.F., Pimentel, M.M., Philipp, R.P. Armstrong, R., Sato, K. (2014) The evolution of the Neoproterozoic São Gabriel juvenile terrane, southern Brazil based on high spatial resolution U-Pb ages and 18O data from detrital zircons. *Precambrian Research* 247, 126-138.
- Lobato, M., Heilbron, M., Torós, B., Ragatky, D., Dantas, E. (2015) Provenance of the Neoproterozoic High-grade Metasedimentary Rocks of the Arc-related Oriental Terrane of the Ribeira belt: Implications for Gondwana Amalgamation. *Journal of South American Earth Sciences* 63, 260-278.
- Machado N., Valladares C., Heilbron M., Valeriano C. (1996) U-Pb geochronology of the central Ribeira belt (Brazil) and implications for the evolution of the Brazilian Orogeny. *Precambrian Research* 79, 347-361.
- Martil, M.M.D., Bitencourt, M.F., Nardi, L.V.S., Koest E., Pimentel M.M. (2017) Pre-collisional, Tonian (ca. 790 Ma) continental arc magmatism in southern Mantiqueira Province, Brazil: Geochemical and isotopic constraints from the Várzea do Capivarita Complex. *Lithos* 274-275, 39-52.
- Martins, V.T.S., Teixeira, W., Noce, C.M., Pedrosa-Soares, A.C. (2004) Sr and Nd characteristics of Brasiliano-Pan African granitoid plutons of the Araçuaí orogen, southeastern Brazil: Tectonic implications. *Gondwana Research* 7, 75-89.
- Mendes J., Medeiros S. R., Ludka, I. P., Pereira T., Silva P.D. (2010) Age and Nd - Sr results of an arc-related hornblende orthogneiss from the border of the Ribeira and Araçuaí belts. *Extended Abstracts of the VII SSAGI South American Symposium on Isotope Geology*, Brasília, Brazil.



- Nalini Jr., H.A. (1997) *Caractérisation des suites magmatiques néoproterozoïques de La région de Conselheiro Pena et Galiléia (Minas Gerais, Brésil): étude géochimique et structurale des suites Galiléia et Urucum et leur relations avec les pegmatites à éléments rares associées*. PhD Thesis, École Nationale Supérieure des Mines de Paris, France, 237 p.
- Nalini Jr, H., Bilal, E., Paquette, J.L., Pin, C., Machado, R. (2000) Géochronologie U-Pb et géochimie isotopique Sr/Nd des granitoïdes néoproterozoïques des suites Galiléia et Urucum, vallée du Rio Doce, Sud-Est du Brésil. *Comptes Rendus de l'Académie de Sciences de Paris - Series II Fascicule A. Sciences de la Terre et des Planètes. Earth and Planetary Sciences* 331, 459-466.
- Narduzzi, F., Farina, F., Stevens, G., Lana, C., Nalini Jr, H.A. (2017) Magmatic garnet in the Cordilleran-type Galiléia granitoids of the Araçuaí belt (Brazil): Evidence for crystallization in the lower crust. *Lithos* 282-283, 82-97.
- Narduzzi F. (2018) *Genesis and evolution of a Neoproterozoic magmatic arc: The cordilleran-type granitoids of the Araçuaí Belt, Brazil*. PhD Thesis, Universidade Federal de Ouro Preto, Ouro Preto, Brazil, pp. 245.
- Novo, T. (2009) *Significado geotectônico das rochas charnockíticas da região de Carangola: implicações para a conexão Araçuaí-Ribeira*. Masters Dissertation, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, 87 p.
- Novo, T., Pedrosa-Soares, A.C., Noce, C.M., Alkmim, F.F., Dussin, I. (2010) Rochas charnockíticas do sudeste de Minas Gerais: a raiz granulítica do Arco Magmático do Orógeno Araçuaí. *Revista Brasileira de Geociências* 40, 573-592.
- Pedrosa-Soares, A.C., Vidal, P., Leonardos, O.H., Brito-Neves, B.B. (1998) Neoproterozoic oceanic remnants in eastern Brazil: Further evidence and refutation of an exclusively ensialic evolution for the Araçuaí-West Congo Orogen. *Geology* 26, 519-522.
- Peixoto, C.A., Heilbron, M. (2010) Geologia da Klippe Italva na Região entre Cantagalo e Itaocara, Nordeste do Estado do Rio de Janeiro. *Geociências* 3, 277-289.



- Peixoto, C.A., Heilbron, M., Ragatky, D., Armstrong, R., Dantas, E., Valeriano, C.M., Simonetti, A. (2017) Tectonic evolution of the Juvenile Tonian Serra da Prata magmatic arc in the Ribeira belt, SE Brazil: Implications for early west Gondwana amalgamation. *Precambrian Research* 302, 221-254.
- Peixoto, C.A. (2018) *Evolução geotectônica dos arcos magmáticos Neoproterozóicos Serra da Prata e Rio Negro no Terreno Oriental da Faixa Ribeira, com base em dados litogeoquímicos, geocronologia U-Pb e isótopos de Sm-Nd e Sr*. PhD Thesis, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil, 177 p.
- Peixoto, E., Alkmim, F.F., Pedrosa-Soares, A.C., Lana, C., Chaves, A.O. (2018) Metamorphic record of collision and collapse in the Ediacaran- Cambrian Araçuaí orogen, E-Brazil: Insights from P–T pseudosections and monazite dating. *Journal of Metamorphic Petrology* 36, 147-172.
- Philipp, R.P., Pimentel, M.M., Chemale Jr, F. (2016) Tectonic evolution of the Dom Feliciano Belt in southern Brazil: geological relationships and U-Pb geochronology. *Brazilian Journal of Geology* 46, 83-104.
- Prazeres Filho, H.J., Harara O.M, Basei, M.A.S., Passarelli, C.R., Siga Jr., O. (2003) Litoquímica, Geocronologia U-Pb e Geologia Isotópica (Sr-Nd-Pb) das Rochas Graníticas dos Batólitos Cunhaporanga e Três Córregos na Porção Sul do Cinturão Ribeira, Estado do Paraná. *Geologia USP Série Científica* 3, 51-70.
- Queiroga, G.N., Pedrosa-Soares, A.C., Noce, C.M., Alkmim, F.F., Pimentel, M.M., Dantas, E., Martins, M., Castañeda, C., Suita, M.T.F., Prichard, H. (2007) Age of The Ribeirão da Folha Ophiolite, Araçuaí Orogen: The U-Pb Zircon (LA-ICPMS) Dating of a Plagiogranite. *Geonomos* 15, 61-65.
- Ragatky, D., Maceira, J., Duarte, B.P., Valente, S., Parisotto, M. (2007) Geoquímica preliminar dos ortoanfibolitos da Bacia Italva, setor central da Faixa Ribeira. In: *Annals of the XI Congresso Brasileiro de Geoquímica*, Atibaia, Brazil.



- Saalmann, K., Hartmann, L.A., Remus, M. (2005) Tectonic Evolution of Two Contrasting Schist Belts in Southernmost Brazil: A Plate Tectonic Model for the Brasiliano Orogeny. *International Geology Review* 47, 1234-1259.
- Sad, J.H.G., Dutra, C. (1988) Chemical composition of supracrustal rocks from the Paraíba do Sul Group, Rio de Janeiro State, Brazil. *Geochimica Brasiliensis*, 2, 143-165.
- Santiago, R., Caxito, F.A., Pedrosa-Soares, A., Neves, M., Dantas, E. (2020) Tonian island arc remnants in the northern Ribeira orogeny of western Gondwana: The Caxixe batholith (Espírito Santo state, SE Brazil). *Precambrian Research*, 105944.
- Silva, L.C, Armstrong, R., Noce, C.M., Carneiro, M.A., Pimentel, M., Pedrosa-Soares, A.C., Leite, C.A., Vieira, V.S., Silva, M.A., Paes, V.J.C, Cardoso, F.J.M (2002) Reavaliação da evolução geológica em terrenos Pré-cambrianos brasileiros com base em novos dados U-Pb SHRIMP, parte II: Orógeno Araçuaí, Cinturão Mineiro e Cráton São Francisco Meridional. *Revista Brasileira de Geociências* 32, 172-191.
- Tedeschi, M. (2013) *Caracterização do arco magmático do Orógeno Araçuaí entre Frei Inocêncio e Itambacuri, Minas Gerais*. Masters Dissertation, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, 126 p.
- Tedeschi, M., Novo T., Pedrosa-Soares, A.C., Dussin, I.A. Tassinari, C. G.T., Silva, L.C., Gonçalves, L., Alkmim, F.F., Lana C., Figueiredo, C., Dantas, E., Medeiros, S., Campos, C., Corrales, F., Heilbron, M, (2016) The Ediacaran Rio Doce magmatic arc revisited (Araçuaí-Ribeira orogenic system, SE Brazil). *Journal of South American Earth Sciences* 68, 186-187.
- Tedeschi, M., Lanari, P., Rubatto, D., Pedrosa Soares, A.C., Hermann, J., Dussin, I., Pinheiro, M.A., Bouvier, A.S., Baumgartner, L. (2017) Reconstruction of multiple P-T-t stages from retrogressed mafic rocks: Subduction versus collision in the Southern Brasília orogen (SE Brazil). *Lithos* 294-295, 283-303.
- Toledo, B.B., Janasi, V.A., Silva, L.G.R. (2018) SHRIMP U-Pb Geochronology of the Socorro Batholith and implications for the Neoproterozoic evolution in SE Brazil. *Brazilian Journal of Geology* 48, 761-782.



- Tupinambá, M. (1999) *Evolução tectônica e magmática da Faixa Ribeira na região da Serra dos Órgãos*. PhD Thesis, Instituto de Geociências, Universidade de São Paulo, São Paulo, Brazil, 186 p.
- Tupinambá, M., Teixeira, W., Heilbron, M (2000) Neoproterozoic Western Gondwana assembly and subduction-related plutonism: the role of the Rio Negro Complex in the Ribeira Belt, South-eastern Brazil. *Revista Brasileira de Geociências* 30, 7-11.
- Tupinambá M., Heilbron M., Duarte B.P., Nogueira J.R., Valladares C., Almeida J., Eirado Silva L.G., Medeiros S.R., Almeida C.G., Miranda A., Ragatky C.D., Mendes J., Ludka I. (2007) Geologia da faixa Ribeira Setentrional: estado da arte e conexões com a Faixa Araçuaí. *Geonomos* 15, 67-79.
- Tupinambá, M., Heilbron, M., Valeriano, C.M., Porto Jr, R., Dios, F.R.B., Machado, N., Silva, L.G.E., Almeida, J.C.H. (2012) Juvenile contribution of the Neoproterozoic Rio Negro Magmatic Arc (Ribeira Belt, Brazil): Implications for Western Gondwana. *Gondwana Research* 21, 422-438.
- Vinagre, R., Trouw, R.A.J., Mendes, J.C., Duffles, P., Peternel, R., Matos, G. (2014) New evidence of a magmatic arc in the southern Brasília belt, Brazil: The Serra da Água Limpa batholith (Socorro-Guaxupé Nappe). *Journal of South American Earth Sciences* 54, 120-139.

Data sources of the Hf isotope geochemistry compilation of Figure 1

- Albert, C., Farina, F., Lana, C., Stevens, G., Storey, C., Gerdes, A., Dopico, C. (2016) Archean crustal evolution in the Southern São Francisco craton, Brazil: Constraints from U-Pb, Lu-Hf and O isotope analyses. *Lithos* 266-267, 64-86.
- Arena, K.R., Hartmann, L.A., Lana, C. (2017) Tonian emplacement of ophiolites in the southern Brasiliano Orogen delimited by U-Pb-Hf isotopes of zircon from metasomatites. *Gondwana Research* 49, 296-332.
- Arena, K.R., Hartmann, L.A., Lana, C. (2016) Evolution of Neoproterozoic ophiolites from the southern Brasiliano Orogen revealed by zircon U-Pb-Hf isotopes and geochemistry. *Precambrian Research* 285, 299-314.



- Barbosa, N.S., Teixeira W., Ávila C.A., Montecinos P.M., Bongioiolo E.M. (2015) 2.17–2.10 Ga plutonic episodes in the Mineiro belt, São Francisco Craton, Brazil: U-Pb ages, geochemical constraints and tectonics. *Precambrian Research* 270, 204-225.
- Cerva-Alves, T., Hartmann, L.A., Remus, M.V.D., Lana, C. (2020) Integrated ophiolite and arc evolution, southern Brasiliano Orogen. *Precambrian Research* 341, 105648.
- Corrales, F.P., Dussin, I., Heilbron, M., Bruno, H., Bersan, S., Valeriano, C.M., Pedrosa-Soares, A.C., Tedeschi, M. (2020) Coeval high Ba-Sr arc-related and OIB Neoproterozoic rocks linking pre-collisional magmatism of the Ribeira and Araçuaí orogenic belts, SE-Brazil. *Precambrian Research*, 337, 105476.
- Cutts, K., Lana, C., Moreira, H., Alkmim, F., Peres, G. (2020) Zircon U-Pb and Lu-Hf record from high-grade complexes within the Mantiqueira Complex: First evidence of juvenile crustal input at 2.4–2.2 Ga and implications for the Palaeoproterozoic evolution of the São Francisco Craton. *Precambrian Research* 338, 105567.
- Degler, R., Pedrosa-Soares, A.C., Dussin, I., Queiroga, G., Schulz, B. (2017) Contrasting provenance and timing of metamorphism from paragneisses of the Araçuaí-Ribeira orogenic system, Brazil: Hints for Western Gondwana assembly. *Gondwana Research* 51, 30-50.
- Degler, R., Pedrosa-Soares, A. C., Novo, T., Tedeschi, M. Silva, I.C., Dussin, I., Lana, C. (2018) Rhyacian-Orosirian isotopic records from the basement of the Araçuaí-Ribeira orogenic system (SE Brazil): Links in the Congo-São Francisco palaeocontinent. *Precambrian Research* 317, 179-195.
- Farina F, Albert C, Lana C. (2015) The Neoproterozoic transition between medium- and high-K granitoids: Clues from the Southern São Francisco Craton (Brazil). *Precambrian Research* 266, 375–394.
- Hueck, M., Basei, M.A.S., Castro, N.A. (2020) Tracking the sources and the evolution of the late Neoproterozoic granitic intrusions in the Brusque Group, Dom Feliciano Belt, South Brazil: LA-ICP-MS and SHRIMP geochronology coupled to Hf isotopic analysis. *Precambrian Research* 338, 105566.



Moreira H., Seixas L., Storey C., Fowler M., Lasalle S., Stevenson R., Lana C. (2018) Evolution of Siderian juvenile crust to Rhyacian high Ba-Sr magmatism in the Mineiro Belt, southern São Francisco Craton. *Geoscience Frontiers* 4, 977-995.

Santiago, R., Caxito, F.A., Pedrosa-Soares, A., Neves, M., Dantas, E. (2020) Tonian island arc remnants in the northern Ribeira orogeny of western Gondwana: The Caxixe batholith (Espírito Santo state, SE Brazil). *Precambrian Research*, 105944.

Schannor, M., Lana, C., Fonseca, M.A. (2019) São Francisco–Congo Craton break-up delimited by U–Pb–Hf isotopes and trace-elements of zircon from metasediments of the Araçuaí Belt. *Geoscience Frontiers* 10, 611-628.

Tedeschi, M., Novo, T., Pedrosa-Soares, A.C., Dussin, I., Tassinari, C., Silva, L.C., Gonçalves, L., Alkmim, F., Lana, C., Figueiredo, C., Dantas, E., Medeiros, S., Campos, C., Corrales, F., Heilbron, M. (2016) The Ediacaran Rio Doce magmatic arc revisited (Araçuaí-Ribeira orogenic system, SE Brazil). *Journal of South American Earth Sciences* 68, 167-186.

Teixeira, W., Ávila, C.A., Dussin, I.A., Neto, A.C., Bongioiolo, E.M., Santos, J.O., Barbosa, N.S. (2015) A juvenile accretion episode (2.35–2.32 Ga) in the Mineiro belt and its role to the Minas accretionary orogeny: Zircon U–Pb–Hf and geochemical evidences. *Precambrian Research* 256, 148-169.

Data sources of the Nd isotope geochemistry compilation of Figure 1

Alves A., Janasi V.A., Campos Neto M.C. (2015) Sources of granite magmatism in the Embu Terrane (Ribeira Belt, Brazil): Neoproterozoic crust recycling constrained by elemental and isotope (Sr-Nd-Pb) geochemistry. *Journal of South American Earth Sciences* 68, 205-223.

André J.F., Valladares C.S., Duarte B.P. (2009) O Complexo Juiz de Fora na região de Três Rios (RJ): litogeoquímica, geocronologia U-Pb (LA-ICPMS) e geoquímica isotópica de Nd e Sr. *Revista Brasileira de Geociências* 39, 773-794.



- Araújo, L.E.A.B., Heilbron, M., Valeriano, C.M., Teixeira, W., Neto, C.C.A. (2019) Litho-geochemical and Nd-Sr isotope data of the ortho- granulites of the Juiz de Fora complex, SE-Brazil: insights from a hidden Rhyacian Orogen within the Ribeira belt. *Brazilian Journal of Geology* 49, doi:10.1590/2317-4889201920190007
- Babinski, M., Chemale, F., Hartmann, L.A., Van Schmus, W.R., Silva, L.C. (1996) Juvenile accretion at 750-700 Ma in Southern Brazil. *Geology* 24, 439-442.
- Babinski, M., Chemale, F., Van Schmus, W.R., Hartmann, L.A., Silva, L.C. (1997) U-Pb and Sm-Nd geochronology of the Neoproterozoic granitic-gneissic Dom Feliciano Belt, southern Brazil. *Journal of South American Earth Sciences* 10, 263-274.
- Bruno H., Elizeu V., Heilbron M., Valeriano C.M., Strachan R., Fowler M., Bersan S., Moreira H., Dussin I., Silva L.G.E.S., Tupinambá M., Almeida J., Dunlop J., Neto C., Carvalho M., Almeida R., Storey C. (2020) Neoproterozoic and Rhyacian TTG-Sanukitoid suites in the southern São Francisco Palecontinent, Brazil: Evidence for diachronous change towards modern tectonics. *Geoscience Frontiers* 11, 1763-1787.
- Capistrano, G.G., Schmitt R.S., Medeiros, S.R., Fernandes, G.L. (2017) Evidence of a Neoproterozoic active continental margin - Geochemistry and isotope geology of high-grade paragneiss from the Ribeira Orogen, SE Brazil. *Journal of South American Earth Sciences* 77, 170-184.
- Cardoso, C.D., Ávila, C.A., Neumann, R., Oliveira, E.P., Valeriano, C.M., Dussin, I. (2019) A Rhyacian continental arc during the Evolution of the Mineiro belt, Brazil: constraints from the Rio Grande and Brumado metadiorites. *Lithos* 326-327.246-264.
- De Campos, C.P., Mendes, J.C., Ludka, I.P., Medeiros, S.R., Moura, J.C., Wallfuss, C. (2004) A review of the Brasiliano magmatism in southern Espírito Santo, Brazil, with emphasis on post-collisional magmatism. *Journal of the Virtual Explorer* 17, 35.
- Dussin, T. (1994) *Associations volcano-plutoniques de l'Espinhaço meridional (SE Brasil)*. PhD Thesis, Université D'Orleans, France, 177 p.



- Fonseca, A.C. (1994) Esboço Geocronológico da região de Cabo Frio, Rio de Janeiro. PhD Thesis, University of São Paulo, São Paulo, Brazil, 186 p.
- Gonçalves L., Alkmim F.F., Pedrosa-Soares A.C., Dussin I., Valeriano C.M., Lana C., Tedeschi M. (2016) Granites of the intracontinental termination of a magmatic arc: an example from the Ediacaran Araçuaí orogen, southeastern Brazil. *Gondwana Research* 3, 439-459.
- Heilbron, M., Tupinambá, M., Valeriano, C., Armstrong, R., Silva, L.G.E., Melo, R.S., Simonetti, A., Pedrosa-Soares, A.C., Machado, N. (2013) The Serra da Bolívia complex: the record of a new Neoproterozoic arc-related unit at Ribeira belt. *Precambrian Research* 238, 158-175.
- Lara P., Oyhantçabal, O., Belusova, E. (2020) Two distinct crustal sources for Late Neoproterozoic granitic magmatism across the Sierra Ballena Shear Zone, Dom Feliciano Belt, Uruguay: Whole-rock geochemistry, zircon geochronology and Sr-Nd-Hf isotope evidence. *Precambrian Research* 341, 105625.
- Machado, H.T., Valladares, C.S., Valeriano, C.M., Duarte, B.P., Medeiros, S.R. (2010) Orthogneisses of the Quirino Complex, Central Ribeira belt, SE Brazil: Sr and Nd isotopic data. In: *Short Papers of the VII South American Symposium on Isotope Geology*, Brasília, Brazil, 93-96.
- Martins, V.T.S., Teixeira, W., Noce, C.M., Pedrosa-Soares, A.C. (2004) Sr and Nd characteristics of Brasiliano/Pan-African granitoid plutons of the Araçuaí Orogen, southeastern Brazil: tectonic implications. *Gondwana Research* 7, 75-89.
- Nalini Jr., H.A., Bilal, E., Correia Neves, J.M. (2000) Syn-collisional peraluminous magmatism in the Rio Doce region: mineralogy, geochemistry and isotopic data of the Neoproterozoic Urucum suite (eastern Minas Gerais state, Brazil). *Revista Brasileira de Geologia* 30, 120-125.
- Noce C.M., Teixeira W., Quemeneur J.J.G., Martins V.T.S., Bolzachini E. (2000) Isotopic signatures of Paleoproterozoic granitoids from the southern Sao Francisco Craton and implications for the evolution of the Transamazonian Orogeny. *Journal of South American Earth Sciences* 13, 225-239.



- Novo T.A., Pedrosa-Soares A.C., Vieira V.S., Dussin I.A., Silva L.C. (2018) The Rio Doce Group revisited: an Ediacaran arc-related volcanosedimentary basin, Araçuaí orogen (SE Brazil). *Journal of South American Earth Sciences* 85, 345-361.
- Pedrosa-Soares, A.C., Vidal, P., Leonardos, O.H., Brito-Neves, B.B. (1998) Neoproterozoic oceanic remnants in eastern Brazil: Further evidence and refutation of an exclusively ensialic evolution for the Araçuaí-West Congo Orogen. *Geology* 26, 519-522.
- Peixoto, C., Heilbron, M., Ragatky, C.D., Armstrong, R., Dantas, E., Valeriano, C.M., Simonetti, A. (2017) Tectonic evolution of the Juvenile Tonian Serra da Prata magmatic arc in the Ribeira belt, SE Brazil: Implications for early west Gondwana amalgamation. *Precambrian Research* 302, 221-254.
- Prazeres Filho, H.J., Harara, O.M, Basei, M.A.S., Passarelli, C.R., Siga Jr., O. (2003) Litoquímica, Geocronologia U-Pb e Geologia Isotópica (Sr-Nd-Pb) das Rochas Graníticas dos Batólitos Cunhaporanga e Três Córregosna Porção Sul do Cinturão Ribeira, Estado do Paraná. *Geologia USP Série Científica* 3, 51-70.
- Queiroga, G.N. (2010) *Caracterização de restos de litosfera oceânica do Orógeno Araçuaí entre os paralelos 17° e 21°S*. PhD Thesis, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, 180 p.
- Ramos R.C., Koester E., Vieira D.T. (2020) Sm-Nd systematics of metaultramafic-mafic rocks from the Arroio Grande Ophiolite (Brazil): Insights on the evolution of the South Adamastor paleo-ocean. *Geoscience Frontiers* 11, 2287-2296.
- Saalmann. K., Hartmann. L.A., Remus. M.V.D., Koester. E., Conceição. R.V. (2005) Sm-Nd isotope geochemistry of metamorphic volcano-sedimentary successions in the São Gabriel Block, southernmost Brazil: evidence for the existence of juvenile Neoproterozoic oceanic crust to the east of the Rio de la Plata craton. *Precambrian Research* 136, 159-175.



- Santiago, R., Caxito, F.A., Pedrosa-Soares, A., Neves, M., Dantas, E. (2020) Tonian island arc remnants in the northern Ribeira orogeny of western Gondwana: The Caxixe batholith (Espírito Santo state, SE Brazil). *Precambrian Research*, 105944.
- Tassinari, C.C.G., Munha, J.M.U., Ribeiro, A., Correia, C.T. (2001) Neoproterozoic oceans in the Ribeira Belt (southeastern Brazil): The Pirapora do Bom Jesus ophiolitic complex. *Episodes* 24, 245-251.
- Tedeschi, M., Novo, T., Pedrosa-Soares, A., Dussin, I., Tassinari, C., Silva, L.C., Gonçalves, L., Alkmim, F.F., Lana, C., Figueiredo, C., Dantas, E., Medeiros, S., Campos, C., Corrales, F., Heilbron, M. (2016) The Ediacaran Rio Doce magmatic arc revisited (Araçuaí-Ribeira orogenic system, SE Brazil). *Journal of South American Earth Sciences* 68, 167-186.
- Teixeira, W., Carneiro, M.A., Noce C.M., Machado, N., Sato, K., Taylor, P.N. (1996) Pb, Sr and Nd isotopic constraints on the Archean evolution of gneissic-granitoid complexes in the southern São Francisco Craton, Brazil. *Precambrian Research* 78, 151-164.
- Teixeira, W., Ávila, C.A., Dussin, I., Correa-Neto, A.V., Bongiolo, E.M., Santos, J.O., Barbosa, N. (2015) A juvenile accretion episode (2.35-2.32Ga) in the Mineiro belt and its role to the Minas accretionary orogeny: Zircon U-Pb-Hf and geochemical evidences. *Precambrian Research* 256, 148-169.
- Tupinambá, M., Heilbron, M., Valeriano, C.M., Porto Jr., R., Eirado, L.G., Almeida, J.C.H. (2012) Juvenile contribution of the Neoproterozoic Rio Negro Magmatic Arc (Ribeira Belt, Brazil): Implications for Western Gondwana amalgamation. *Gondwana Research* 21, 422-438.

